



Background


To measure companies' loss reserve development and how that development compares with the industry and with the companies' peer groups


Formula


[LLR-ILR(Company)] = Alpha + Beta*[LLR-ILR(Industry)] + error


Interpretation


Alpha represents a general directional trend above or below the industry year to year changes in industry loss reserve development follows year to year changes in industry loss reserve development in direction and magnitude.













it takes 3 to 5 years for us to know.


How to project the current position in the cycle?


5






	Division of LOBs for Reserve Cycle	
1.	Personal Lines Private Passenger Auto Liability Auto Physical Damage Homeowners	
2.	Commercial Liability Lines Commercial Auto Liability Medical Professional Liability Other Liability Product Liability Workers' Compensation	
3.	Commercial Property Lines The remaining P&C lines excluding Accident and Health.	
Octo	ber 16, 2012 www.risklighthouse.com	18







Division of LOBs for Reserve Cycle				
 The evidence supports the subdivision of the P&C industry. The subdivision of the P&C industry will have new timing, magnitude, and position of the reserve cycle for each line of business. A more accurate estimation of where we are in the cycle will help to determine companies' reserve position. 				
October 16, 2012 www.risklighthouse.com	21			









EL3 Evan, 9/27/2012



Our internal research indicates that tail factor estimation is very important for reserve estimation of the long tail liability lines, such as Workers' Compensation, Other Liability, and Medical Professional Liability. Tail factors vary significantly across accident years and across the different segments.





Internal Research 4: Misused Reserving Indicators

Many insurance companies use ratios to compare their reserve adequacy with their peer group.

For example, Total Reserve/Premium, IBNR/Premium, Case Reserve/IBNR, or Paid Loss/Total Reserve.


Before relying on those ratios, it is important to know whether those ratios work.

A back test is applied to check the relationship of those ratios with the reserving risk LLR-ILR.

October 16, 2012

www.risklighthouse.com

Misused Reserving Indicators-Back Test Results WC 12 Month-Total Reserve/Premium Percentile vs. WC (LLR-ILR) Perc



	Conclusion	
- An individ The projectic individual co We need to Reserve risk Reserve cy Tail factors segments. Popular indic Next steps: Better pre	varies significantly from company to compaul company's reserve risk varies over time. on of the reserve cycle is important for estimation of the reserve risk. Deter predictive variables/drivers. Varies by line of business and by market selected timing varies by line of business. So are important for reserve projection and they varies of reserve adequacy fail backtesting. Cators of reserve adequacy fail backtesting. Codition of the reserve cycle icators of reserve adequacy	mation of gment.
October 16, 2012	www.risklighthouse.com	32

